

# **File Navigator**

## **Administration Guide**

**Release 1.0.3**

# Index

<b><u>1.</u></b>	<b><u>ABOUT FILE NAVIGATOR</u></b>	<b><u>3</u></b>
<b><u>2.</u></b>	<b><u>SYSTEM REQUIREMENTS</u></b>	<b><u>4</u></b>
<b><u>3.</u></b>	<b><u>CENTRAL ADMINISTRATION OF PLUG-IN SETTINGS</u></b>	<b><u>5</u></b>
<b><u>4.</u></b>	<b><u>CENTRAL ADMINISTRATION OF THE FILE NAVIGATOR PLUG-IN</u></b>	<b><u>6</u></b>
<b><u>5.</u></b>	<b><u>SETTINGS</u></b>	<b><u>7</u></b>
<b>5.1</b>	<b>HIDING FUNCTIONALITY</b>	<b>7</b>
5.1.1	PREFMGMT_ALLOW_DELETE	7
5.1.2	PREFMGMT_ALLOW_EML	7
5.1.3	PREFMGMT_ALLOW_FAVFOLDER	7
5.1.4	PREF_MGMT_ALLOW_LOCAL_DRIVES	7
5.1.5	PREFMGMT_ALLOW_REPLACE	8
5.1.6	PREFMGMT_ALLOW_ROOTS_REFRESH	8
5.1.7	PREFMGMT_ALLOW_SHARES	8
5.1.8	PREFMGMT_ALLOW_SHOW_DESKTOP	8
5.1.9	PREFMGMT_ALLOW_SHOW_HIDDEN_FILES	8
5.1.10	PREFMGMT_ALLOW_SHOW_TOOLBAR_REFRESH	9
5.1.11	PREFMGMT_ALLOW_SHOW_TOOLBAR_EXPAND_COLLAPSE	9
<b>5.2</b>	<b>SETTING VALUES</b>	<b>10</b>
5.2.1	PREF_QUESTION_DELETE	10
5.2.2	PREF_QUESTION_EML_OPEN	10
5.2.3	PREF_QUESTION_MAIL2	10
5.2.4	PREF_QUESTION_REPLACE	11
5.2.5	PREF_QUESTION_ROOTS_REFRESH	11
5.2.6	PREF_SHARES_ACTIVE	11
5.2.7	PREF_SHOW_DESKTOP	11
5.2.8	PREF_SHOW_HIDDEN_FILES	11
5.2.9	PREF_SHOW_TOOLBAR_REFRESH	12
5.2.10	PREFMGMT_ALLOW_SHOW_TOOLBAR_EXPAND_COLLAPSE	12

### 1. **About File Navigator**

The File Navigator plug-in simulates a Windows Explorer like behaviour in the Lotus Notes sidebar.

It provides common functions like creating new folders on the file system, drag'n'drop support from IBM Lotus Notes to the file system – and vice versa.

The plug-in although provides some special functionality like converting mail documents in to EML files, an EML file viewer, support for network shares and so on.

Please refer to the File Navigator User Guide.

### 2. **System requirements**

The plug-in requires IBM Lotus Notes 8.5 or higher.

There are no known operating system restrictions.


## 3. Central administration of plug-in settings

With IBM Lotus Domino 8.5 and higher you have the ability to centrally manage plug-in settings. This can be done through the usage of a Desktop Policy document.


Open your Domino Directory, navigate to “People => Policies => Settings” and open the appropriate Desktop Policy document. Navigate to the “Custom Settings” tab.



In this section select the “Managed Settings” tab and click on “Edit list...”.



Now you can set the wanted settings for your plug-ins.

A dialog box titled 'Setting to add or modify' with a wrench icon. It contains three text input fields: 'Item' with the value 'prefmgmt\_allow\_shares', 'Value' with the value 'true', and 'Plug-in name' with the value 'org.openntf.filenavigator'. There is also a checked checkbox labeled 'Enforce'.

The setting consists on three different values:

- Item – the preference setting key
- Value – the chosen value
- Plug-in name – as the name says... ;-)

### 4. **Central administration of the File Navigator plug-in**

As the central administration ability doesn't allow an enforced lock-down of the settings File Navigator has two different kinds of settings:

- Settings to hide a functionality
- Settings to set a value

This guide shows which settings are available, where you can find the user part in the File Navigator User Guide and when you could (or should) combine settings.

## 5. Settings

### 5.1 Hiding functionality

#### 5.1.1 `prefmgmt_allow_delete`

<b>Item name:</b>	<code>prefmgmt_allow_delete</code>
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Delete files/folders without confirmation”.
<b>Combine with:</b>	<code>pref_question_delete</code>

#### 5.1.2 `prefmgmt_allow_eml`

<b>Item name:</b>	<code>prefmgmt_allow_eml</code>
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the preference page “Mail”.
<b>Combine with:</b>	<code>pref_question_eml_open</code> <code>pref_question_mail2</code>

#### 5.1.3 `prefmgmt_allow_favfolder`

<b>Item name:</b>	<code>prefmgmt_allow_favfolder</code>
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the preference page “Favourite folders”.
<b>Combine with:</b>	-

#### 5.1.4 `pref_mgmt_allow_local_drives`

<b>Item name:</b>	<code>pref_mgmt_allow_local_drives</code>
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the preference page “Local drives”.
<b>Combine with:</b>	-

## 5.1.5 **prefmgmt\_allow\_replace**

<b>Item name:</b>	prefmgmt_allow_replace
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Replace files/folders without confirmation”.
<b>Combine with:</b>	pref_question_replace

## 5.1.6 **prefmgmt\_allow\_roots\_refresh**

<b>Item name:</b>	prefmgmt_allow_roots_refresh
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Ask to reload the file tree when the drive list has changed”.
<b>Combine with:</b>	pref_question_roots_refresh

## 5.1.7 **prefmgmt\_allow\_shares**

<b>Item name:</b>	prefmgmt_allow_shares
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the preference page “Network shares”.
<b>Combine with:</b>	pref_shares_active

## 5.1.8 **prefmgmt\_allow\_show\_desktop**

<b>Item name:</b>	prefmgmt_allow_show_desktop
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Show ‘Desktop’ in the folder tree”.
<b>Combine with:</b>	pref_show_desktop

## 5.1.9 **prefmgmt\_allow\_show\_hidden\_files**

<b>Item name:</b>	prefmgmt_allow_show_hidden_files
<b>Possible values:</b>	false true

<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Show hidden files”.
<b>Combine with:</b>	pref_show_hidden_files

### 5.1.10 prefmgmt\_allow\_show\_toolbar\_refresh

<b>Item name:</b>	prefmgmt_allow_show_toolbar_refresh
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Show ‘Refresh’ button in toolbar”.
<b>Combine with:</b>	pref_show_toolbar_refresh

### 5.1.11 prefmgmt\_allow\_show\_toolbar\_expand\_collapse

<b>Item name:</b>	prefmgmt_allow_show_toolbar_expand_collapse
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Show ‘Expand’ and ‘Collapse’ button in toolbar”.
<b>Combine with:</b>	pref_show_toolbar_expand_collapse

## 5.2 Setting values

### 5.2.1 `pref_question_delete`

<b>Item name:</b>	<code>pref_question_delete</code>
<b>Possible values:</b>	false true
<b>Default value:</b>	false
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox "Delete files/folders without confirmation".
<b>Combine with:</b>	<code>prefmgmt_allow_delete</code>

### 5.2.2 `pref_question_eml_open`

<b>Item name:</b>	<code>pref_question_eml_open</code>
<b>Possible values:</b>	<code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_EML_OPEN_SELF</code> <code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_EML_OPEN_SYSTEM</code>
<b>Default value:</b>	<code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_EML_OPEN_SELF</code>
<b>Behaviour:</b>	Sets the EML viewer which is chosen when opening EML files with the File Navigator plug-in. SELF means the File Navigator plug-in and SYSTEM means the operating systems default viewer.
<b>Combine with:</b>	<code>prefmgmt_allow_eml</code> <code>pref_question_mail2</code>

### 5.2.3 `pref_question_mail2`

<b>Item name:</b>	<code>pref_question_mail2</code>
<b>Possible values:</b>	<code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_MAIL2_EML</code> <code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_MAIL2_URL</code>
<b>Default value:</b>	<code>org.openntf.filenavigator.tools.Constants.PREF_TEXT_QUESTION_MAIL2_EML</code>
<b>Behaviour:</b>	Sets the behaviour when dropping a mail document onto File Navigator. EML means the creation of an EML file, URL means the creation of a link file
<b>Combine with:</b>	<code>prefmgmt_allow_eml</code> <code>pref_question_eml_open</code>

## 5.2.4 **pref\_question\_replace**

<b>Item name:</b>	pref_question_replace
<b>Possible values:</b>	false true
<b>Default value:</b>	false
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox "Replace files/folders without confirmation".
<b>Combine with:</b>	prefmgmt_allow_replace

## 5.2.5 **pref\_question\_roots\_refresh**

<b>Item name:</b>	pref_question_roots_refresh
<b>Possible values:</b>	false true
<b>Default value:</b>	false
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox "Refresh the file tree when the drive list has changed".
<b>Combine with:</b>	prefmgmt_allow_roots_refresh

## 5.2.6 **pref\_shares\_active**

<b>Item name:</b>	pref_shares_active
<b>Possible values:</b>	false true
<b>Default value:</b>	false
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox "Activate network shares".
<b>Combine with:</b>	prefmgmt_allow_shares

## 5.2.7 **pref\_show\_desktop**

<b>Item name:</b>	pref_show_desktop
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox "Show 'Desktop' in the folder tree".
<b>Combine with:</b>	prefmgmt_allow_show_desktop

## 5.2.8 **pref\_show\_hidden\_files**

<b>Item name:</b>	pref_show_hidden_files
<b>Possible values:</b>	false true

<b>Default value:</b>	false
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox “Show hidden files”.
<b>Combine with:</b>	prefmgmt_allow_show_hidden_files

### 5.2.9 pref\_show\_toolbar\_refresh

<b>Item name:</b>	pref_show_toolbar_refresh
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Checks (true) or unchecks (false) the checkbox “Show ‘Refresh’ button in toolbar”.
<b>Combine with:</b>	prefmgmt_allow_show_toolbar_refresh

### 5.2.10 prefmgmt\_allow\_show\_toolbar\_expand\_collapse

<b>Item name:</b>	prefmgmt_allow_show_toolbar_expand_collapse
<b>Possible values:</b>	false true
<b>Default value:</b>	true
<b>Behaviour:</b>	Shows (true) or hides (false) the checkbox “Show ‘Expand’ and ‘Collapse’ button in toolbar”.
<b>Combine with:</b>	prefmgmt_allow_show_toolbar_expand_collapse